

NurseTab room terminal 8"

Art.: ERTH0001-5



Description

Professional next-generation room terminal NurseTab is the most modern "touch" room terminal for the nurse call system. It includes NurseTab software and has the possibility of remote access and programming. It can be mounted on the wall or the ceiling.

Possibility of Functionality

- Presence acknowledgment and registration of staff
- Triggering and registering of assistance calls for staff
- Marking and registering the night rounds of staff
- Review of active calls from the nurse call system
- Registering care and nursing
- Establishing voice communication

- Establishing a video conference
- Ordering meals
- Review of upcoming events and activities
- Managing, adding, and reviewing past activities for individual resident/patient (for relatives)
- Possibility of adding additional functionalities

Technical Specification

System

- Octa core cortex A53 processor, 1.5G
- RAM: 1GB DDR3
- Internal memory: 8GB

Network

- WiFi 802.11b/g/n
- Ethernet (POE)
- Bluetooth 4.0

Power Supply

- 24V, 1A power supply
- Or 24V POE

Display

- Touch Panel: 5-point capacitive touch screen
- Panel: 8"LCD IPS panel
- Resolution: 1280*800
- Contrast Ratio: 1200:1
- Luminance: 240cdm
- Aspect Ratio: 16:9

Media Format

- Video Format: MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV 4K*2K, H.264/H.265, 4K*2K @60Hz

- Audio Format: MP3/WMA/AAC etc.
- Photo: jpg

Input/Output Port

- Micro USB, USB, HDMI out, RJ45, RS485, DC in.

Dimensions

- W:21.3cm / H: 19.3cm / D:2.8cm

Weight (Net)

- 550g

Operating Conditions

- Operating Temperature: +5°C to +55°C
- Operating Humidity: Up to 85%, non-condensing

Other

- Speaker: 2*2W
- Camera: 2.0M/P Front camera optional
- Language: Multi-language

Cleaning Instructions

- If cleaning is necessary, use Petroleum ether. Use of water for cleaning will void the warranty.

Compliant and tested with CE certification requirements.

Compliant and tested with DIN VDE 0834 requirements.